HOUSE BILL NO. 92

INTRODUCED BY GILBERT

BY REQUEST OF THE DEPARTMENT OF JUSTICE

IN THE HOUSE

| JANUARY 6, 1987 | INTRODUCED AND REFERRED TO COMMITTEE ON HIGHWAYS & TRANSPORTATION. |
|---------------------------------------|---|
| JANUARY 21, 1987 | COMMITTEE RECOMMEND BILL DO PASS. REPORT ADOPTED. |
| JANUARY 22, 1987 | PRINTING REPORT. |
| JANUARY 23, 1987 | SECOND READING, DO PASS. |
| JANUARY 24, 1987 | ENGROSSING REPORT. |
| | THIRD READING, PASSED. |
| | TRANSMITTED TO SENATE. |
| | IN THE SENATE |
| | |
| JANUARY 26, 1987 | INTRODUCED AND REFERRED TO COMMITTEE ON HIGHWAYS & TRANSPORTATION. |
| JANUARY 26, 1987 FEBRUARY 23, 1987 | |
| · | ON HIGHWAYS & TRANSPORTATION. COMMITTEE RECOMMEND BILL BE |
| FEBRUARY 23, 1987 | ON HIGHWAYS & TRANSPORTATION. COMMITTEE RECOMMEND BILL BE CONCURRED IN. REPORT ADOPTED. |
| FEBRUARY 23, 1987 MARCH 2, 1987 | ON HIGHWAYS & TRANSPORTATION. COMMITTEE RECOMMEND BILL BE CONCURRED IN. REPORT ADOPTED. SECOND READING, CONCURRED IN. THIRD READING, CONCURRED IN. |

RECEIVED FROM SENATE.

SENT TO ENROLLING.

MARCH 5, 1987

25

8

9

11

1<u>2</u>

14

15 16

17

18

19 20

21

22

23

25

| 1 | <u> </u> |
|----|--|
| 2 | INTRODUCED BY Gullert |
| 3 | BY REQUEST OF THE DEPARTMENT OF JUSTICE |
| 4 | |
| 5 | A BILL FOR AN ACT ENTITLED: "AN ACT REQUIRING FENDERS, |
| 6 | SPLASH APRONS, OR FLAPS ON POLE TRAILERS; AND AMENDING |
| 7 | SECTION 61-9-407, MCA." |
| 8 | |
| 9 | BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MONTANA: |
| 10 | Section 1. Section 61-9-407, MCA, is amended to read: |
| 11 | "61-9-407. Fenders, splash aprons, or flaps required |
| 12 | on certain vehicles dimension and location. (1) It shall |
| 13 | be unlawful for any person to move, or permit to be moved, |
| 14 | any truck, bus, truck tractor, trailer, pole trailer, or |
| 15 | semitrailer, as defined in this title, upon the public |
| 16 | highways without having first equipped the rearmost wheels |
| 17 | or set of wheels of such vehicle with fenders, splash |
| 18 | aprons, or flaps. Such fenders, splash aprons, or flaps |
| 19 | shall be designed, constructed, and attached to the vehicle |
| 20 | in such manner so as to arrest and deflect dirt, mud, water, |
| 21 | rocks, and other substances which may be picked up by the |
| 22 | rear wheels of such vehicle and thrown into the air, as |
| 23 | follows: |
| 24 | (a) If the vehicle is equipped with fenders, the same |

shall extend in full width from a point above and forward of

the center of the tire or tires over and to the rear thereof.

- 3 (b) If the vehicle is equipped with splash aprons or
 4 flaps, the same shall extend downward in full width from a
 5 point not lower than halfway between the center of the tire
 6 or tires and the top of said tire or tires and to the rear
 7 thereof.
 - (c) If the vehicle is in excess of 8,000 pounds gross vehicle weight, such fenders, splash aprons, or flaps shall extend downward to a point that is not more than 10 inches above the surface of the highway when the vehicle is empty.
 - (d) If the vehicle is 8,000 pounds or less gross vehicle weight such fenders, splash aprons, or flaps shall extend downward to a point that is not more than 20 inches above the surface of the highway when the vehicle is empty.
 - (2) Fenders, splash aprons, or flaps, as used in subsection (1) of this section, shall be deemed to be of sufficient size and construction as to comply with the requirements thereof, if constructed as follows:
 - (a) when measured on the cross-sections of the tread of the wheel or on the combined cross-sections of the treads of multiple wheels, such fender, splash apron, or flap extends at least to each side of the width of the tire or of the combined width of the multiple tires, as the case may be; and

LC 0633/01

, .

(b) such fender, splash apron, or flap is so constructed as to be capable at all times of arresting and deflecting such dirt, mud, water, or other substance as may be picked up and carried by such wheel or wheels."

1 2

3

5

7

NEW SECTION. Section 2. Extension of authority. Any existing authority of the department of justice to make rules on the subject of the provisions of this act is extended to the provisions of this act.

25

APPROVED BY COMMITTEE ON HIGHWAYS & TRANSPORTATION

1 HBBILL NO. 9.2_ INTRODUCED BY BY REQUEST OF THE DEPARTMENT OF JUSTICE A BILL FOR AN ACT ENTITLED: "AN ACT REQUIRING FENDERS. SPLASH APRONS, OR FLAPS ON POLE TRAILERS; AND AMENDING SECTION 61-9-407, MCA." я BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MONTANA: 9 10 Section 1. Section 61-9-407, MCA, is amended to read: 11 "61-9-407. Fenders, splash aprons, or flaps required on certain vehicles -- dimension and location. (1) It shall 12 be unlawful for any person to move, or permit to be moved, 13 any truck, bus, truck tractor, trailer, pole trailer, or 14 semitrailer, as defined in this title, upon the public 15 16 highways without having first equipped the rearmost wheels 17 or set of wheels of such vehicle with fenders, splash 18 aprons, or flaps. Such fenders, splash aprons, or flaps 19 shall be designed, constructed, and attached to the vehicle 20 in such manner so as to arrest and deflect dirt, mud, water, 21 rocks, and other substances which may be picked up by the 22 rear wheels of such vehicle and thrown into the air, as 23 follows: 24 (a) If the vehicle is equipped with fenders, the same

shall extend in full width from a point above and forward of

thereof.

(b) If the vehicle is equipped with splash aprons or flaps, the same shall extend downward in full width from a point not lower than halfway between the center of the tire or tires and the top of said tire or tires and to the rear thereof.

the center of the tire or tires over and to the rear

- (c) If the vehicle is in excess of 8,000 pounds gross vehicle weight, such fenders, splash aprons, or flaps shall extend downward to a point that is not more than 10 inches above the surface of the highway when the vehicle is empty.
- (d) If the vehicle is 8,000 pounds or less gross vehicle weight such fenders, splash aprons, or flaps shall extend downward to a point that is not more than 20 inches above the surface of the highway when the vehicle is empty.
- (2) Fenders, splash aprons, or flaps, as used in subsection (1) of this section, shall be deemed to be of sufficient size and construction as to comply with the requirements thereof, if constructed as follows:
 - of the wheel or on the combined cross-sections of the treads of multiple wheels, such fender, splash apron, or flap extends at least to each side of the width of the tire or of

(a) when measured on the cross-sections of the tread

- 24 the combined width of the multiple tires, as the case may
- 25 be: and

8

9

10

11

12

13

14

16

17

18

19

20

21

22

23



(b) such fender, splash apron, or flap is so constructed as to be capable at all times of arresting and deflecting such dirt, mud, water, or other substance as may be picked up and carried by such wheel or wheels."

1 2

3

4

5

7

8

NEW SECTION. Section 2. Extension of authority. Any existing authority of the department of justice to make rules on the subject of the provisions of this act is extended to the provisions of this act.

be; and

| 1 | <u> # B</u> BILL NO. <u>9.2</u> | | | | | | | | |
|----|--|--|--|--|--|--|--|--|--|
| 2 | INTRODUCED BY Syllast | | | | | | | | |
| 3 | BY REQUEST OF THE DEPARTMENT OF JUSTICE | | | | | | | | |
| 4 | | | | | | | | | |
| 5 | A BILL FOR AN ACT ENTITLED: "AN ACT REQUIRING FENDERS, | | | | | | | | |
| 6 | SPLASH APRONS, OR FLAPS ON POLE TRAILERS; AND AMENDING | | | | | | | | |
| 7 | SECTION 61-9-407, MCA." | | | | | | | | |
| B | | | | | | | | | |
| 9 | BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MONTANA: | | | | | | | | |
| 10 | Section 1. Section 61-9-407, MCA, is amended to read: | | | | | | | | |
| 11 | "61-9-407. Fenders, splash aprons, or flaps required | | | | | | | | |
| 12 | on certain vehicles dimension and location. (1) It shall | | | | | | | | |
| 13 | be unlawful for any person to move, or permit to be moved, | | | | | | | | |
| 14 | any truck, bus, truck tractor, trailer, pole trailer, or | | | | | | | | |
| 15 | semitrailer, as defined in this title, upon the public | | | | | | | | |
| 16 | highways without having first equipped the rearmost wheels | | | | | | | | |
| 17 | or set of wheels of such vehicle with fenders, splash | | | | | | | | |
| 18 | aprons, or flaps. Such fenders, splash aprons, or flaps | | | | | | | | |
| 19 | shall be designed, constructed, and attached to the vehicle | | | | | | | | |
| 20 | in such manner so as to arrest and deflect dirt, mud, water, | | | | | | | | |
| 21 | rocks, and other substances which may be picked up by the | | | | | | | | |
| 22 | rear wheels of such vehicle and thrown into the air, as | | | | | | | | |
| 23 | follows: | | | | | | | | |
| 24 | (a) If the vehicle is equipped with fenders, the same | | | | | | | | |

shall extend in full width from a point above and forward of

| thereof. |
|--|
| (b) If the vehicle is equipped with splash aprons or |
| flaps, the same shall extend downward in full width from a |
| point not lower than halfway between the center of the tire |
| or tires and the top of said tire or tires and to the rear |
| thereof. |
| (c) If the vehicle is in excess of 8,000 pounds gross |
| vehicle weight, such fenders, splash aprons, or flaps shall |
| extend downward to a point that is not more than 10 inches |
| above the surface of the highway when the vehicle is empty. |
| (d) If the vehicle is 8,000 pounds or less gross |
| vehicle weight such fenders, splash aprons, or flaps shall |
| extend downward to a point that is not more than 20 inches |
| above the surface of the highway when the vehicle is empty. |
| (2) Fenders, splash aprons, or flaps, as used in |
| subsection (1) of this section, shall be deemed to be of |
| sufficient size and construction as to comply with the |
| requirements thereof, if constructed as follows: |
| (a) when measured on the cross-sections of the tread |
| of the wheel or on the combined cross-sections of the treads |
| of multiple wheels, such fender, splash apron, or flag |
| extends at least to each side of the width of the tire or of |

the combined width of the multiple tires, as the case may

the center of the tire or tires over and to the rear

(b) such fender, splash apron, or flap is so constructed as to be capable at all times of arresting and deflecting such dirt, mud, water, or other substance as may be picked up and carried by such wheel or wheels."

1

2

3 4

6

NEW SECTION. Section 2. Extension of authority. Any existing authority of the department of justice to make rules on the subject of the provisions of this act is extended to the provisions of this act.

HB 0092/02

50th Legislature

1

25

8

9

10

11

12

13

14 15

16

17

18 19

| 2 | INTRODUCED BY GILBERT |
|------------|--|
| 3 | BY REQUEST OF THE DEPARTMENT OF JUSTICE |
| 4 | |
| 5 | A BILL FOR AN ACT ENTITLED: "AN ACT REQUIRING FENDERS, |
| 6 | SPLASH APRONS, OR FLAPS ON POLE TRAILERS; AND AMENDING |
| 7 | SECTION 61-9-407, MCA." |
| 8 | |
| 9 | BE IT ENACTED BY THE LEGISLATURE OF THE STATE OF MONTANA: |
| 0 | Section 1. Section 61-9-407, MCA, is amended to read: |
| . 1 | "61-9-407. Fenders, splash aprons, or flaps required |
| . 2 | on certain vehicles dimension and location. (1) It shall |
| . 3 | be unlawful for any person to move, or permit to be moved, |
| 4 | any truck, bus, truck tractor, trailer, pole trailer, or |
| L 5 | semitrailer, as defined in this title, upon the public |
| ۱6 | highways without having first equipped the rearmost wheels |
| 17 | or set of wheels of such vehicle with fenders, splash |
| 18 | aprons, or flaps. Such fenders, splash aprons, or flaps |
| 9 | shall be designed, constructed, and attached to the vehicle |
| 20 | in such manner so as to arrest and deflect dirt, mud, water, |
| 21 | rocks, and other substances which may be picked up by the |
| 22 | rear wheels of 'such vehicle and thrown into the air, as |
| 23 | follows: |
| 24 | (a) If the vehicle is equipped with fenders, the same |

shall extend in full width from a point above and forward of

HOUSE BILL NO. 92

| 1 | the | center | of | the | tire | or | tires | over | and | to | the | rear |
|---|------|--------|----|-----|------|----|-------|------|-----|----|-----|------|
| 2 | ther | eof. | | | | | | | | | | |

- 3 (b) If the vehicle is equipped with splash aprons or
 4 flaps, the same shall extend downward in full width from a
 5 point not lower than halfway between the center of the tire
 6 or tires and the top of said tire or tires and to the rear
 7 thereof.
 - (c) If the vehicle is in excess of 8,000 pounds gross vehicle weight, such fenders, splash aprons, or flaps shall extend downward to a point that is not more than 10 inches above the surface of the highway when the vehicle is empty.
 - (d) If the vehicle is 8,000 pounds or less gross vehicle weight such fenders, splash aprons, or flaps shall extend downward to a point that is not more than 20 inches above the surface of the highway when the vehicle is empty.
 - (2) Fenders, splash aprons, or flaps, as used in subsection (1) of this section, shall be deemed to be of sufficient size and construction as to comply with the requirements thereof, if constructed as follows:
- 20 (a) when measured on the cross-sections of the tread 21 of the wheel or on the combined cross-sections of the treads 22 of multiple wheels, such fender, splash apron, or flap 23 extends at least to each side of the width of the tire or of 24 the combined width of the multiple tires, as the case may 25 be; and

(b) such fender, splash apron, or flap is so constructed as to be capable at all times of arresting and deflecting such dirt, mud, water, or other substance as may be picked up and carried by such wheel or wheels."

1

3

5

6 7 NEW SECTION. Section 2. Extension of authority. Any existing authority of the department of justice to make rules on the subject of the provisions of this act is extended to the provisions of this act.